



**Declaration of Performance
According to Regulation (EU) No. 305/2011 of 9 March 2011
(Construction of Products Regulation)
No. 6910.002.20161201**

- 1. Product**
ORALITE® 6910 Brilliant Grade, Fluorescent
- 2. Product and Design Types**

Article / Combination	Colour	Design
6910-029	Fluorescent Yellow-Green	original dyed sheeting
6910-037	Fluorescent Yellow	original dyed sheeting
6910-038	Fluorescent Orange	original dyed sheeting
6910-029 + 5081-070	Black	original dyed sheeting with lettering film
6910-037 + 5081-070	Black	original dyed sheeting with lettering film
6910-038 + 5081-070	Black	original dyed sheeting with lettering film
6910-029 + 5018-070	Black	original dyed sheeting with screenprint
6910-037 + 5018-070	Black	original dyed sheeting with screenprint
6910-038 + 5018-070	Black	original dyed sheeting with screenprint

- 3. Intended use of the construction product**
Vertical fixed traffic signs
- 4. Manufacturer**
ORAFOL Europe GmbH
Orafolstrasse 2
16515 Oranienburg
Germany
- 5. Not applicable**
- 6. System of assessment and verification of constancy of performance of the construction product as set out in Annex V of the regulation (EU) No. 305/2011**
System 1

7. Not applicable

8. Assessment and verification of the performance

The notified body StrAus-Zert (NB 0913), Germany, has attested, that all regulations regarding assessment and verification of the constancy of performance - described in the European Technical Assessment ETA 16/0467 – in accordance with system 1 are executed for the performances declared in the below certificate, that the construction product fulfils all the therein mandated requirements of this performance and has issued the following certificate of constancy of performance:

Nr. 0913-CPR-2016/10

9. Declared performance

The performance of the mentioned construction product and its design types listed in clause 2 is declared as follows:

Article Combination	Standard colour values, Luminance factor		Specific coefficient of retroreflection		Impact resistance		Resistance against weathering	
	Reference	Status	Reference	Status	Reference	Status	Reference	Status
6910-029	ETA 16/0467 Annex A	PASS	ETA 16/0467 Annex B	PASS	EN 12899-1 4.1.2.1	PASS	ETA 16/0467 Anhang C & D	PASS
6910-037	ETA 16/0467 Annex A	PASS	ETA 16/0467 Annex B	PASS	EN 12899-1 4.1.2.1	PASS	ETA 16/0467 Anhang C & D	PASS
6910-038	ETA 16/0467 Annex A	PASS	ETA 16/0467 Annex B	PASS	EN 12899-1 4.1.2.1	PASS	ETA 16/0467 Anhang C & D	PASS
6910-029 + 5081-070	EN 12899-1 7.3.1.3	NR1	-	-	EN 12899-1 4.1.2.1	PASS	EN 12899-1 4.1.1.5	PASS
6910-037 + 5081-070	EN 12899-1 7.3.1.3	NR1	-	-	EN 12899-1 4.1.2.1	PASS	EN 12899-1 4.1.1.5	PASS
6910-038 + 5081-070	EN 12899-1 7.3.1.3	NR1	-	-	EN 12899-1 4.1.2.1	PASS	EN 12899-1 4.1.1.5	PASS
6910-029 + 5018-070	EN 12899-1 7.3.1.3	NR1	-	-	EN 12899-1 4.1.2.1	PASS	EN 12899-1 4.1.1.5	PASS
6910-037 + 5018-070	EN 12899-1 7.3.1.3	NR1	-	-	EN 12899-1 4.1.2.1	PASS	EN 12899-1 4.1.1.5	PASS
6910-038 + 5018-070	EN 12899-1 7.3.1.3	NR1	-	-	EN 12899-1 4.1.2.1	PASS	EN 12899-1 4.1.1.5	PASS

The composition of the product is described in the technical datasheets and application instructions (download possible under www.orafol.com).



Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed on behalf of the manufacturer by:

Oranienburg, 1 December 2016

A handwritten signature in black ink, appearing to read "Dr. Holger Loclair". The signature is written over a horizontal line.

Dr. Holger Loclair
Managing Director